

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	70	((VOD PPV (pay NEAR2 view) or ("on demand") NVD) WITH multicast\$3) AND (((@ad <= "19990919") or (@rlad <= "19990919")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 19:13
L2	69	((VOD PPV (pay NEAR2 view) or ("on demand") NVD) WITH multicast\$3) AND (((@ad <= "19990219") or (@rlad <= "19990219")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 19:14
L3	72	((725/86-103.ccls.) AND multicast\$3) AND (((@ad <= "19990219") or (@rlad <= "19990219")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 19:22
L4	25	"725"/\$.ccls. AND (((@ad <= "19990219") or (@rlad <= "19990219")) AND ((client terminal receiver STT STB "set top" ) WITH (store NEAR2 forward))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 19:39
L5	66	"709"/\$.ccls. AND (((@ad <= "19990219") or (@rlad <= "19990219")) AND ((client terminal receiver STT STB "set top" ) WITH (store NEAR2 forward))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 19:44

L6	435	"709"/\$.ccls. AND ((@ad <= "19990219") or (@rlad <= "19990219")) AND ((client terminal receiver STT STB "set top" node) WITH (hierarchical))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:47
L7	0	"709"/\$.ccls. AND ((@ad <= "19990219") or (@rlad <= "19990219")) AND ((client terminal receiver STT STB "set top" node) WITH (hierarchical)) SAME (VOD PPV (pay NEAR2 view) or ("on demand") NVOD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:48
L8	0	"725"/\$.ccls. AND ((@ad <= "19990219") or (@rlad <= "19990219")) AND ((client terminal receiver STT STB "set top" node) WITH (hierarchical)) SAME (VOD PPV (pay NEAR2 view) or ("on demand") NVOD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:48
L9	0	((@ad <= "19990219") or (@rlad <= "19990219")) AND ((client terminal receiver STT STB "set top" node) WITH (hierarchical)) SAME (VOD PPV (pay NEAR2 view) or ("on demand") NVOD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:49

L10	21	((@ad <= "19990219") or (@rlad <= "19990219")) AND (hierarchical) SAME (VOD PPV (pay NEAR2 view) or ("on demand") NVOD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:49
L11	440	((@ad <= "19990219") or (@rlad <= "19990219")) AND (hierarchical) SAME (broadcast "broadcast" multicast)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:52
L12	2419	((@ad <= "19990219") or (@rlad <= "19990219")) AND (hierarchical) WITH (broadcast "broadcast" multicast transmission delivery scheme)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:53
L13	1314	((@ad <= "19990219") or (@rlad <= "19990219")) AND (hierarchical) WITH (broadcast "broadcast" multicast transmission delivery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:53
L14	147	"709"/\$.cls. AND 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:53
L15	51	"725"/\$.cls. AND 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:00
L16	55	("5583994").URPN.	USPAT	OR	ON	2008/12/02 21:12

L17	23	((@ad <= "19990219") or (@rlad <= "19990219")) AND (retransmi\$5) SAME (VOD PPV (pay NEAR2 view) or ("on demand") NVOD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:15
L18	652	((@ad <= "19990219") or (@rlad <= "19990219")) AND (retransmi\$5) AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:20
L19	296	((@ad <= "19990219") or (@rlad <= "19990219")) AND (retransmi\$5) SAME (client terminal receiver STT STB "set top" node) AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:21
L20	195	((@ad <= "19990219") or (@rlad <= "19990219")) AND (retransmi\$5) WITH (client terminal receiver STT STB "set top" node) AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:21
L21	511	((@ad <= "19990219") or (@rlad <= "19990219")) AND (retransmi\$5) WITH (client terminal receiver STT STB "set top" node) AND "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:54
L22	648	((@ad <= "19990219") or (@rlad <= "19990219")) AND (retransmi\$5) WITH (client terminal receiver STT STB "set top" node) AND "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:55

L23	32	((@ad <= "19990219") or (@lad <= "19990219")) AND ((relay) WITH (retransmi\$5) WITH (client terminal receiver STT STB "set top" node)) AND "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:56
L24	4	((@ad <= "19990219") or (@lad <= "19990219")) AND ((relay) WITH (retransmi\$5) WITH (client terminal receiver STT STB "set top" node)) AND "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:59
L25	18	("4924384"   "5023907"   "5247676"   "5249290"   "5249293"   "5285494"   "5301280"   "5301316"   "5307490"   "5408602"   "5442749"   "5452459"   "5457797"   "5463625"   "5497463"   "5499379"   "5544320"   "5574854").FN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/02 22:00
L26	2	("4949248"   "5031089").FN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/02 22:04
L27	122	("5249290").URFN.	USPAT	OR	ON	2008/12/02 22:06

L28	38	((@ad <= "19990219") or (@rlad <= "19990219")) AND ((relay) WITH (retransmi\$5) WITH (client terminal receiver STT STB "set top" node)) AND "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 22:08
L29	95	"725"/\$.ccls. AND ((@ad <= "19990219") or (@rlad <= "19990219")) AND (client terminal receiver STT STB "set top" node) WITH (detect\$3 determin\$5 judg\$3 sens\$3) WITH (crash ((shut turn\$2 power) NEAR2 (off down)) fail\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 22:13
L30	1	"725"/\$.ccls. AND ((@ad <= "19990219") or (@rlad <= "19990219")) AND (manager scheduler) WITH (detect\$3 determin\$5 judg\$3 sens\$3) WITH (crash ((shut turn\$2 power) NEAR2 (off down)) fail\$3) WITH (node hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 22:16
L31	16	"709"/\$.ccls. AND ((@ad <= "19990219") or (@rlad <= "19990219")) AND (manager scheduler) WITH (detect\$3 determin\$5 judg\$3 sens\$3) WITH (crash ((shut turn\$2 power) NEAR2 (off down)) fail\$3) WITH (node hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 22:17

L32	16	"709"/\$.cds. AND ((@ad <= "19990219") or (@rlad <= "19990219")) AND (manager scheduler) WITH (detect\$3 determin\$5 judg\$3 sens\$3) WITH (crash ((shut turn\$2 power) NEAR2 (off down)) fail\$3 inoperative malfunction\$3) WITH (node hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 22:26
L33	29	"709"/\$.cds. AND ((@ad <= "19990219") or (@rlad <= "19990219")) AND (manager scheduler) SAME (detect\$3 determin\$5 judg\$3 sens\$3) WITH (crash \$2 ((shut turn\$2 power) NEAR2 (off down)) fail\$3 inoperative malfunction\$3) WITH (node hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 22:27

12/ 2/ 08 11:09:29 PM

C:\Documents and Settings\RBrown1\My Documents\EAST\Workspaces\9-253117b.  
wsp